Bibliography

- Akçakaya, H.R. and M.G. Raphael. 1998. Assessing human impact despite uncertainty: viability of the northern spotted owl metapopulation in the northwestern USA. Biodiversity and Conservation 7:875-894.
- Alverson, E.R. 1989. Use of a county soil survey to locate remnants of native grassland in the Willamette Valley, Oregon. Pages 107-112 in R.S. Mitchell, C.J. Sheviak, and D.J. Leopold, editors. Ecosystem management: Rare Species and Significant Habitats. Proceedings of the 15th Annual Natural Areas Conference, New York State Museum Bulletin.
- Alverson, E.R. 1990. A survey for native grassland remnants in the mid-Willamette Valley, Oregon. Oregon Department of Agriculture, Salem, Oregon.
- Aplet, G.H., R.D. Laven, and R.B. Shaw. 1994. Application of transition matrix models to the recovery of the rare Hawaiian shrub, *Tetramalopium arenarium* (Asteraceae). Natural Areas Journal 14:99-106.
- Barker, N.G. and G.B. Williamson. 1988. Effect of winter fire on *Sarracenia alata* and *S. pisttacina*. American Journal of Botany 75:138-143.
- Beissinger, S.R. and M.I. Westphal. 1998. On the use of demographic models of population viability in endangered species management. Journal of Wildlife Management 62:821-841.
- Benton, T.G. and A. Grant. 2000. Elasticity analysis as an important tool in evolutionary and population ecology. Trends in Ecology and Evolution 14:467-471.
- Bierzychudek, P. 1982. The demography of jack-in-the-pulpit, a forest perennial that changes sex. Ecological Monographs 52:335-351.
- Bierzychudek, P. 1999. Looking backwards: assessing the projections of a transition matrix model. Ecological Applications 9:1278-1287.
- Bond, W.J., and B.W. van Wilgen. 1996. Fire and plants. Chapman and Hall, London.
- Borchert, M. 1989. Post fire demography of *Thermopsis macrophylla* H.A. var. *angina* J.T. Howell (Fabaceae), a rare perennial herb in chaparral. American Midland Naturalist 122:120-132.
- Boyd, R. 1986. Strategies of Indian burning in the Willamette Valley. Canadian Journal of Anthropology 5:65-86.

- Boyd, R. 1999. Strategies of Indian burning in the Willamette Valley. Pages 94-138 in R. Boyd, editor. Indians, fire and the land. Oregon State University Press, Corvallis, Oregon.
- Boyd, R.S. and L.L. Serafini. 1992. Reproductive attrition of the rare chaparral shrub *Fremontodendron decumbens* Lloyd (Sterculiaceae). American Journal of Botany 79:1264-1272.
- Brook, B.W., M.A. Burgman, and R. Frankham. 2000. Differences and congruencies between PVA packages: the importance of sex ratio for predictions of extinction risk. Conservation Ecology 4:4. [online] URL: http://www.consecol.org/vol4/iss1/art6.
- Brook, B.W., J.R. Cannon, R.C. Lacey, C. Mirande, and R. Frankham. 1999. A comparison of the population viability analysis packages GAPSS, INMAT, RAMAS, and VORTEX for the Whooping Crane (*Grus americana*). Animal Conservation 2:23-31.
- Brook, B.W., J.J. O'Grady, A.P. Chapman, M.A. Burgman, H.R. Akçakaya, and R. Frankham. 2000. Predictive accuracy of population viability analysis in conservation biology. Nature 404:385-387.
- Bukowski, J., L. Korn, and D. Wartenberg. 1995. Correlated inputs in quantitative risk assessment: the effects of distributional shape. Risk Analysis 15:215-219.
- Burgman, M.A., S. Ferson, and H.R. Akçakaya. 1993. Risk assessment in conservation biology. Chapman and Hall, London.
- Burgman, M.A. and V.A. Gerard. 1990. A stage-structured, stochastic population model for the giant kelp Macrocystis pyrifera. Marine Biology 105:15-23.
- Burns, B.R. and J. Ogden. 1985. The demography of the temperate mangrove *Avicennia marina* [(Forsk.) Vierh.] at its southern limit in New Zealand. Australian Journal of Ecology 10:125-133.
- Campbell, J.J., D.D. Taylor, M.E. Medley, and A.C. Risk. 1991. Floristic and historical evidence of fire-maintained, grassy pine-oak barrens before settlement in southeastern Kentucky. Pages 359-375 in S.C. Nodvin and T.A. Waldrop, editors. Fire and the environment: ecological and cultural perspectives. Southeastern Forest Experiment Station, Asheville, N.C.

- Carlson, P.R., G.W. Tanner, J.M. Wood, and S.R. Humphrey. 1993. Fire in key deer habitat improves browse, prevents succession and preserves endemic herbs. Journal of Wildlife Management 57:914-928.
- Caswell, H. 1986. Life cycle models for plants. Lectures on Mathematics in the Life Sciences. 18:171-233.
- Caswell, H. 2000. Prospective and retrospective perturbation analyses: their roles in conservation biology. Ecology 81:619-627.
- Caswell, H. 2001. Matrix population models. Second edition. Sinauer Associates Inc., Sunderland, Massachusetts.
- Caswell, H. and T.N. Kaye. In press. Stochastic demography and conservation of Lomatium bradshawii In a dynamic fire regime. Advances In Ecological Research.
- Chau, N.P. 2000. Destabilising effect of periodic harvest on population dynamics. Ecological Modelling 127:1 9.
- Cisneros-Mata, M.A., L.W. Botsford, and J.F. Quinn. 1997. Projecting viability of *Totoaba macdonaldi*, a population with unknown age-dependent variability. Ecological Applications 7:968-980.
- Currier, P.J. 1984. Response of prairie fringed orchid to fire and reduction in grazing. Restoration and Management Notes 2:28.
- de Kroon, H., A. Plaiser, and J. van Groenendael. 1987. Density dependent simulation of the population dynamics of a perennial grassland species, *Hypochaeris radicata*. Oikos 50:3-12.
- de Kroon, H., A. Plaiser, J. van Groenendael, and H. Caswell. 1986. Elasticity: the relative contribution of demographic parameters to population growth rate. Ecology 67:1427-1431.
- Doak, D., P. Kareiva, and B. Klepetka. 1994. Modeling population viability for the desert tortoise in the western Mojave Desert. Ecological Applications 4:446-460.
- Douglas, D. 1914. Journal kept by David Douglas during his travels in North America 1823-1827. William Wesley and Son, London. Published under the direction of the Royal Horticultural Society.
- Dunwiddie, P.W. 1990. Rare plants in coastal heathlands: observations on Corema conradii and Helianthemum dumosum. Rhodora 92:22-26.

- Embrechts, P., A. McNeil, and D. Straumann. 1999. Correlation: pitfalls and alternatives. Risk 12:69-71.
- Embrechts, P., A. McNeil, and D. Straumann. In press. Correlation and dependence in risk management: properties and pitfalls. In M. Dempster, editor. Risk Management: Value at Risk and Beyond. Cambridge University Press, Cambridge (2001).
- Enright, N., M. Franco, and J. Silvertown. 1995. Comparing plant life histories using elasticity analysis: the importance of life span and the number of life-cycle stages. Oecologia 104:79-84.
- Enright, N. and J. Ogden. 1979. Applications of transition matrix models in forest dynamics: *Araucaria* in Papua New Guinea and *Nothofagus* in New Zealand. Australian Journal of Ecology 4:3-23.
- Evans, M., N. Hastings and B. Peacock. 2000. Statistical Distributions. Third edition. John Wiley and Sons, New York.
- Fackler, P. 1999. Generating correlated multidimensional variates. [online] URL: http://www4.ncsu.edu/unity/users/p/pfackler/www/#WorkingPapers.
- Ferson, S. 1991. RAMAS/stage: Generalized stage-based modeling for population dynamics (version 1.4). Applied Biomathematics, Setauket, New York.
- Ferson, S. and M.A. Burgman. 1995. Correlations, dependency bounds and extinction risks. Biological Conservation 73:101-105.
- Ferson, S., L.R. Ginzburg and H. R. Akçakaya. In press. Whereof one cannot speak: when input distributions are unknown. Risk Analysis.
- Fieberg, J. and S.P. Ellner. 2000. When is it meaningful to estimate an extinction probability? Ecology 81:2040-2047.
- Fiedler, P.L. 1987. Life history and population dynamics of rare and common mariposa lilies (*Calochortus* Pursh: Liliaceae). Journal of Ecology 75:977-995.
- Fingleton, B. 1984. Models of category counts. Cambridge University Press, Cambridge, U.K.
- Finley, K.K. 1994. Hydrology and related soil features of three Willamette Valley wetland prairies. M.Sc. thesis, Oregon State University, Corvallis.

- Finley, K.K. and J.B. Kauffman. 1992. Soils and hydrology of Willamette Valley wetland prairies and ecological response of *Lomatium bradshawii* and *Erigeron decumbens* var. *decumbens* to prescribed fire. A progress report to the U.S. Army Corps of Engineers and the Bureau of Land Management, Eugene, Oregon.
- Fisher, D.O., S.D. Hoyle, and S.P. Bloomberg. 2000. Population dynamics and survival of an endangered wallaby: a comparison of four methods. Ecological Applications 10:901-910.
- Folkerts, G.W. 1977. Endangered and threatened carnivorous plants of North America. Pages 301-313 in G.T. Prance and T.S. Elias, editors. Extinction is forever: threatened and endangered species of plants in the Americas and their significance in ecosystems today and in the future. New York Botanical Garden, Bronx, N.Y.
- Franklin, J.F., and C.T. Dyrness. 1988. Natural Vegetation of Oregon and Washington. Oregon State University Press, Corvallis, Oregon.
- Frees, E.W. and E.A. Valdez. 1998. Understanding relationships using copulas. North American Actuarial Journal 2:1-25.
- Frey, H.C. and D.E. Burmaster. 1999. Methods of characterizing variability and uncertainty: comparison of bootstrap simulations and likelihood-based approaches. Risk Analysis 19:109-130.
- Frye, R.J. 1998. Population viability analysis of Pediocactus paradinei. Pages 39-46 in J. Maschinski, H.D. Hammond and L. Holter, editors. Southwestern Rare and Endangered Plants: Proceedings of the Second Conference. General Technical Report RM-GTR-283. U.S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, Colorado.
- Gankin, R. and J. Major. 1964. *Arctostaphylos myrtifolia*, its biology and relationship to the problem of endemism. Ecology 45:792-808.
- Genest, C. and R. MacKay. 1986. The joy of copulas. American Statistician 50:280-283.
- Giho, H. and H. Seno. 1997. Transition matrix modelling on disturbance-controlled persistence of plant population. Ecological Modelling 94:207-219.
- Ginzburg, L.R., S. Ferson, and H.R. Akçakaya. 1990. Reconstructibility of density dependence and the conservative assessment of extinction risk. Conservation Biology 4:63-70.

- Greenlee, J. and T.N. Kaye. 1997. Stochastic matrix projections: a comparison of the effect of element and matrix selection methods on quasi-extinction risk for *Haplopappus radiatus* (Asteraceae). Pages 66-71 in Kaye, T.N., A. Liston, R.M. Love, D. Luoma, R.J. Meinke, and M.V. Wilson, editors. Conservation and Management of Native Plants and Fungi. Native Plant Society of Oregon, Corvallis, Oregon.
- Gregg, K.B. 1991. Variation in behaviour of four populations of the orchid *Cleistes divaricata*, an assessment using transition matrix models. Pages 139-159 in T.C.E. Wells and J.H. Willems, editors. Population ecology of terrestrial orchids. Academic Publishing, The Hague, The Netherlands.
- Griffiths, D.A. 1973. Maximum likelihood estimation for the beta-binomial distribution and an application to the household distribution of the total number of cases of disease. Biometrics 29:637-648.
- Gross, K., J.R. Lockwood III, C.C. Frost, and W.F. Morris. 1998. Modeling controlled burning and trampling reduction for conservation of Hudsonia montana. Conservation Biology 12:1291-1301.
- Guerrant, E.O. 1996. Designing populations: demographic, genetic, and horticultural dimensions. Pages 171-207 in D.A. Falk, C.I. Millar, and M. Olwell, editors. Restoring Diversity. Island Press, Washington D.C.
- Guerrant, E.O. and B.M. Pavlik. 1998. Reintroduction of rare plants: genetics, demography and the role of *ex situ* conservation methods. Pages 80-108 in P.L. Fiedler and P.M. Kareiva, editors. Conservation Biology for the Coming Decade. Second edition. Chapman and Hall, New York.
- Haas, C.N. 1997. Importance of distributional form in characterizing inputs to Monte Carlo risk assessments. Risk Analysis 17:107-113.
- Haas, C.N. 1999. On modeling correlated random variables in risk assessment. Risk Analysis 19:1205-1214.
- Habeck, J.R. 1961. The original vegetation of the mid-Willamette Valley, Oregon. Northwest Sci. 35:65-77.
- Hamed, M.M. and P.B. Bedient. 1997. On the effect of probability distributions of input variables in public health risk assessment. Risk Analysis 17:97-105.
- Hardin, D.E. and D.L. White. 1992. Rare vascular plant taxa associated with wiregrass (Aristida stricta) in the southeastern United States. Natural Areas Journal 9:234-245.

- Hartshorn, G.S. 1975. A matrix model of tree population dynamics. Pages 41-52 in F.B. Golley and E. Medina, editors. Tropical Ecological Systems, Springer-Verlag, New York.
- Hartnett, D.C. and D.R. Richardson. 1989. Population biology of *Bonomia grandiflora* (Convolvulaceae): effects of fire on plant and seed bank dynamics. American Journal of Botany 73:361-369.
- Hawkes, C.V. and E.S. Menges. 1995. Density and seed production of a Florida endemic, *Polygonella basiramia*, in relation to time since fire and open sand. The American Midland Naturalist 133:138-145.
- Heppell, S.S., L.B. Crowder, and D.T. Crouse. 1996. Models to evaluate headstarting as a management tool for long-lived turtles. Ecological Applications 6:556-565.
- Heppell, S.S., C. Pfister, and H. de Kroon. 2000. Elasticity analysis in population biology: methods and applications. Ecology 81:605.
- Hessl, A. and S. Spackman. 1995. Effects of fire on threatened and endangered plants: an annotated bibliography. U.S. Department of the Interior, National Biological Service, Washington, D.C.
- Heydecker, W. 1973. Seed ecology. The Pennsylvania State University Press, London.
- Horino, S. and S. Miura. 2000. Population viability analysis of a Japanese black bear population. Population Ecology 42:37-44.
- Horvitz, C.C. and D.W. Schemske. 1995. Spatiotemporal variation in demographic transitions of a tropical understory herb: projection matrix analysis. Ecological Monographs 65:155-192.
- Horvitz, C.C., D.W. Schemske and H. Caswell. 1997. The relative "importance" of life-history stages to population growth: prospective and retrospective studies. Pages 248-271 in S. Tuljapurkar and H. Caswell, editors. Structured-population models in marine, terrestrial and freshwater systems. Chapman and Hall, New York, New York.
- Iman, R.L. and W.J. Conover. 1982. A distribution-free approach to inducing rank correlation among input variables. Communications in Statistics —— Simulation and Computation 11:311-334.
- Jacobs, J. 1993. New hope for the Peter's Mountain Mallow. Endangered Species Technical Bulletin 18(3):13-14.

- Jacobson, G.L., H. Almquist-Jacobson, and J.C. Winne. 1991. Conservation of rare plant habitat: insights from the recent history of vegetation and fire at Crystal Fen, northern Maine, USA. Biological Conservation 57:287-314.
- Jensen, A.L. 1995. Simple density dependent matrix model for population projection. Ecological Modelling 77:43-48.
- Johannessen, C.L., W.A. Davenport, A. Millet, and S. McWilliams. 1971. The vegetation of the Willamette Valley. Annals of the Association of American Geographers 61:286-302.
- Johnson, A.F. and W.G. Abrahamson. 1990. A note on the fire responses of species in rosemary scrubs on the southern Florida Lake Wales Ridge. Florida Scientist 53:138-143.
- Johnson, A.F. and A. Blyth. 1988. Re-discovery of *Calamovilfa curtissii* (Graminae) in Florida Panhandle. Sida 13:137-140.
- Kagan, J.S. 1980. The biology of *Lomatium bradshawii* (Apiaceae), a rare plant of Oregon. M.S. thesis, University of Oregon, Eugene.
- Kahn, M.J. and A.E. Raftery. 1996. Discharge rates of Medicare stroke patients to skilled nursing facilities: Bayesian logistic regression with observed heterogeneity. Journal of the American Statistical Association Applications and Case Studies 91:29-41.
- Karian, Z.A. and E.J. Dudewicz. 2000. Fitting Statistical Distributions. CRC Press, Boca Raton, Florida.
- Kaye, T.N. 1992. Bradshaw's desert-parsley: population monitoring and pollination biology. Kalmiopsis 2:1-4.
- Kaye, T.N. 2000. *Lomatium cookii* population monitoring in the Illinois Valley, Josephine County, Oregon. Institute for Applied Ecology, Corvallis, Oregon.
- Kaye, T.N. and S. Brady. 1991. *Astragalus tyghensis* monitoring, pollination, and germination. First year project status report. Oregon Department of Agriculture, Salem, Oregon.
- Kaye, T.N. and R.J. Meinke. 1992. Population monitoring and pollination biology of Snake River Goldenweed, *Haplopappus radiatus*. Oregon Department of Agriculture, Salem, Oregon.

- Kaye, T.N. and M. Kirkland. 1994. *Cimicifuga elata*: Status, habitat analysis, monitoring, inventory, and effects of timber management. Oregon Department of Agriculture, Salem, Oregon.
- Kaye, T.N., K. Pendergrass, and K.K. Finley. 1994. Population biology of *Lomatium bradshawii*. I. Population viability analysis under three prairie burning treatments. Oregon Department of Agriculture, Salem, Oregon.
- Kaye, T.N., K.L. Pendergrass, K. Finley, and J.B. Kauffman. 2001. The effect of fire on the population viability of an endangered prairie plant. Ecological Applications, in press.
- Keeley, J.E. and C.J. Fotheringham. 1997. Trace gas emissions and smoke-induced seed germination. Science 276:1248-1250.
- Kendall, B.E. 1998. Estimating the magnitude of environmental stochasticity in survivorship data. Ecological Applications 8:184-193.
- Kephart, S.R. and C. Paladino. 1997. Demographic change and microhabitat variability in a grassland endemic, *Silene douglasii* var. *oraria* (Caryophyllaceae). American Journal of Botany 84:179-189.
- Kimmerer, R.W. 1993. Disturbance and dominance in *Tetraphis pellucida*: a model of disturbance frequency and reproductive mode. The Bryologist 96(1):73-79.
- Kittlein, M.J. 1997. Assessing the impact of owl predation on the growth rate of a rodent prey population. Ecological Modelling 103:123-134.
- Kokko, H. and J. Lindstrom. 1998. Seasonal density dependence, timing of mortality, and sustainable harvesting. Ecological Modelling 110:293-304.
- Kolbe, A.E., J. Buongiorno, and M. Vasievich. 1999. Geographic extension of an uneven-aged, multi-species matrix growth model for northern hardwood forests. Ecological Modelling 121:235-253.
- Kucera, C.L. and J.H. Ehrenreich. 1962. Some effects of annual burning on central Missouri prairie. Ecology 43:334-336.
- Lande, R. 1993. Risks of population extinction from demographic and environmental stochasticity and random catastrophes. The American Naturalist 142:911-927.
- Lande, R., and S.H. Orzack. 1988. Extinction dynamics of age-structured populations in a fluctuating environment. Proc. Natl. Acad. Sci. 85:7418-7421.

- Lefkovitch, L.P. 1965. The study of population growth in organisms grouped by stages. Biometrics 21:1-18.
- Lennartsson, T. 2000. Management and population viability of the pasture plant Gentiana campestris: the role of interactions between habitat factors. Ecological Bulletin 48:111-121.
- Lesica, P. 1997. Demography of the endangered plant, *Silene spaldingii* (Caryophyllaceae) in northwest Montana. Madroño 44: 347—358.
- Lesica, P. 1999. Effects of fire on the demography of the endangered, geophytic herb *Silene spaldingii* (Caryophyllaceae). American Journal of Botany 86: 996-1002.
- Lin, C. and J. Buongiorno. 1997. Fixed versus variable-parameter matrix models of forest growth: the case of maple-birch forests. Ecological Modelling 99:263-274.
- Lindenmeyer, D.B., M.A. Burgman, H.R. Akçakaya, R.C. Lacy, and H.P. Possingham. 1995. A review of the generic computer programs ALEX, RAMAS/space and VORTEX for modelling the viability of wildlife populations. Ecological Modelling 82:161-174.
- Lindsey, A.H. 1982. Floral phenology patterns and breeding systems in *Thaspium* and *Zizia* (Apiaceae). Systematic Botany 7:1-12.
- Logofet, D.O. and E.V. Lesnaya. 2000. The mathematics of Markov models: what Markov chains can really predict in forest successions. Ecological Modelling 126: 285-298.
- Ludwig, D. 1999. Is it meaningful to estimate a probability of extinction? Ecology 80:298-310.
- MacRoberts, M.H. and B.R. MacRoberts. 1990. Notes on the occurrence of *Platanthera integra* (Nutt.) A. Gray ex Beck (Orchidaceae) in West Central Louisiana. Phytologia 69:378-381.
- Maguire, L.A., G.F. Wilhere, and Q. Dong. 1995. Population viability analysis for red-cockaded woodpeckers in the Georgia Piedmont. Journal of Wildlife Management 59:533-542.
- Maillette, L. 1982. Structural dynamics of silver birch. II. A matrix model of the bud population. Journal of Applied Ecology 19:219-238.

- Manders, P.T. 1987. A transition matrix model of the population dynamics of the Clanwilliam cedar (*Widdringtonia cedarbergensis*) in natural stands subject to fire. Forest Ecology and Management 20:171-186.
- Maret, M. P. 1997. Effects of fire on seedling establishment in upland prairies of the Willamette Valley, Oregon. M.S. thesis. Department of Botany and Plant Pathology, Oregon State University, Corvallis, OR.
- Maschinski, J., R. Frye, and S. Rutman. 1997. Demography and population viability of an endangered plant species before and after protection from trampling. Conservation Biology 11:990-999.
- Mathworks, The. 1998. Matlab, version 5. The Mathworks, Inc., Natick, Massachusetts.
- McClaren, M.P. and P.C. Sundt. 1992. Population dynamics of rare orchid *Spiranthes delitescens*. Southwestern Naturalist 37:299-333.
- McCrimmon, K.R. and C.A. Ryavec. 1964. An analytical study of PERT assumptions. Operations Research 12:113-124.
- McEvoy, P.B. and E.M. Coombs. 1999. Biological control of plant invaders: regional patterns, field experiments, and structured population models. Ecological Applications 9:387-401.
- Meagher, T.R. 1982. The population biology of *Chamaelirium luteum*, a dioecious member of the lily family: two sex population projections and stable population structure. Ecology 63:1701-1711.
- Menges, E.S. 1986. Predicting the future of rare plant populations: demographic monitoring and modeling. Natural Areas Journal 6:13-25.
- Menges, E.S. 1990. Population viability analysis for an endangered plant. Conservation Biology 4:52-62.
- Menges, E.S. 1992. Habitat preferences and response to disturbance for *Dicerandra frutescens*, a rare Lake Wales Ridge (Florida) endemic plant. Bulletin of the Torrey Botanical Club 119:308-313.
- Menges, E.S. 1992. Stochastic modeling of extinction in plant populations. Pages 253-275 in P.L. Fiedler and S.K. Jain, editors. Conservation biology: the theory and practice of nature conservation, preservation, and management. Chapman and Hall, New York.

- Menges, E.S. 1995. Factors limiting fecundity and germination in small populations of *Silene regia* (Caryophyllaceae), a rare hummingbird-pollinated prairie forb. American Midland Naturalist 133:242-255.
- Menges, E.S. 2000. Population viability analyses in plants: challenges and opportunities. Trends in Ecology and Evolution 15:51-56.
- Menges, E.S. and R.W. Dolan. 1998. Demographic viability of populations of *Silene regia* in midwestern prairies: relationships with fire management, genetic variation, geographic location, and population size. Journal of Ecology 86:63-78.
- Menges, E.S. and J. Kimich. 1996. Microhabitat and time-since-fire: Effects on demography of *Eryngium cuneifolium* (Apiaceae), a Florida scrub endemic. American Journal of Botany 83:185-191.
- Mills, L.S., S.G. Hayes, C. Baldwin, M.J. Wisdom, J. Citta, D.J. Mattson, and K. Murphy. 1996. Factors leading to different viability predictions for a grizzly bear data set. Conservation Biology 10:863-873.
- Moir, W.H. and P. Mika. 1976. Prairie vegetation of the Willamette Valley, Benton, Co., Oregon. Unpublished report, Research Work Unit 125, U.S.D.A. Forest Science Lab, Corvallis, Oregon.
- Moloney, K.A. 1986. A generalized algorithm for determining category size. Oecologia 69:176-180.
- Myers, R.L. 1989. Condominiums, trailer parks and high intensity fires: the future of sand pine scrub preserves in Florida. Proceedings of the 17th Tall Timbers Fire Ecology Conference, Tallahassee Florida.
- Nakoaka, M. 1996. Dynamics of age- and size-structured populations in fluctuating environments: applications of stochastic matrix models to natural populations. Researches in Population Ecology 38:141-152.
- Nakoaka, M. 1997. Demography of the marine bivalve *Yoldia notabilis* in fluctuating environments: an analysis using a stochastic matrix model. Oikos 79:59-68.
- Namkoong, G. and J.H. Roberds. 1974. Extinction probabilities and the changing age structure of Redwood forests. American Naturalist 108:355-368.
- Nantel, P., Gagnon, D. and Nault, A. 1996. Population viability analysis of American Ginseng and Wild Leek harvested in stochastic environments. Conservation Biology 10: 608-621.

- Nelson, R.B. 1999. An Introduction to Copulas. Springer, New York.
- Noble, I.R. and R.O. Slatyer. 1980. The use of vital attributes to predict successional changes in plant communities subject to recurrent disturbances. Vegetatio 43:5-21.
- Noon, B.R. and K.S. McKelvey. 1996. Management fo the spotted owl: A case history in conservation biology. Annual Review of Ecology and Systematics 27:135-162.
- Ojima, D.D., D.S. Schimel, W.J. Parton, and C.E. Owensby. 1994. Long- and short-term effects of fire on nitrogen cycling in tallgrass prairie. Biogeochemistry 24:67-84.
- Olmsted, I. and E.R. Alvarez-Buylla. 1995. Sustainable Harvesting of Tropical Trees: Demography and Matrix Models of Two Palm Species in Mexico. Ecological Applications 5:484-500.
- Oostermeijer, G. 1996. Population viability of the rare *Gentiana pneumonanthe*. The relative importance of demography, genetics, and reproductive biology. Ph.D. dissertation. Institute for Systematics and Population Biology, University of Amsterdam, The Netherlands.
- Oostermeijer, G. 2000. Population viability analysis of the rare *Gentiana pneumonanthe*: importance of demography, genetics, and reproductive biology. Pages 313-334 in A. Young and G. Clarks (eds.), Genetics, Demography, and Viability of Fragmented Populations. Cambridge University Press, London.
- Oostermeijer, G., M.L. Brugman, E.R. de Boer, and H.C.M. den Nijs. 1996. Temporal and spatial variation in the demography of Gentiana pneumonanthe, a rare perennial herb. Journal of Ecology 84:153-166.
- Oregon Natural Heritage Program. 2001. Rare, threatened and endangered plants and animals of Oregon. Oregon Natural Heritage Program, Portland, Oregon.
- Orzack, S.H. 1993. Life history evolution and population dynamics in variable environments: Some insights from stochastic demography. Pages 63-104 in J. Yoshimura and C.W. Clark, editors. Adaptation in Stochastic Environments. Springer-Verlag, New York.
- Orzack, S.H. 1997. Life history evolution and extinction. Pages 273-302 in S. Tuljapurkar and H. Caswell, editors. Structured Population Models in Marine, Terrestrial, and Freshwater Systems. Chapman and Hall, New York.
- Osho, J.S.A. 1996. Modelling the tree population dynamics of the most abundant species in a Nigerian tropical rain forest. Ecological Modelling 89:175-181.

- Owen, W.R. and R. Rosentreter. 1992. Monitoring rare perennial plants: techniques for demographic studies. Natural Areas Journal 12:32-39.
- Parenti, R.L., A.F. Robinson, and J.S. Kagan. 1993. Bradshaw's lomatium recovery plan. U.S. Fish and Wildlife Service, Portland, OR.
- Parker, I.M. 2000. Invasion dynamics of Cytisus scoparius: a matrix model approach. Ecological Applications 10:726-743.
- Pascual, M.A., P. Kareiva, and R. Hilborn. 1997. The influence of model structure on conclusions about the viability of harvesting of Serengeti wildebeest. Conservation Biology 11:966-976.
- Pendergrass, K.L. 1995. Vegetation composition and response to fire of native Willamette Valley wetland prairies. MS Thesis, Oregon State University, Corvallis, OR. 241 pp.
- Pendergrass, K.L., P.M. Miller, and J.B. Kauffman. 1998. Prescribed fire and the response of woody species in Willamette Valley wetland prairies. Restoration Ecology 6:303-311.
- Pendergrass, K.L., P.M. Miller, J.B. Kauffman, and T.N. Kaye. 1999. The role of prescribed burning in maintenance of an endangered plant species, *Lomatium bradshawii*. Ecological Applications 9:1420—1429.
- Pfab, M.F. and E.T.F. Witkowski. 2000. A simple population viability analysis of the critically endangered Euphorbia clivicola R.A. Dyer under four management scenarios. Biological Conservation 96:263-270.
- Phillips, B.G., H. Green, S. Dudley, and R. Galeano-Popp. 1992. Prescribed fire research on Flagstaff pennyroyal (*Hedeoma diffusum* Greene). Pages 162-169 in R. Sivinski and K. Lightfoot, editors. Proceedings of the Southwestern rare and endangered plant conference. New Mexico Forestry Resources and Conservation Division, Santa Fe, New Mexico.
- Pinero, D., M. Martinez-Ramos, and J. Sarukhan. 1984. A population model of *Astrocaryum mexicanum* and a sensitivity analysis of its finite rate of increase. Journal of Ecology 72:977-991.
- Ratner, S., R. Lande and B.B. Roper. 1997. Population viability analysis of spring Chinook salmon in the South Umpqua River, Oregon. Conservation Biology 11:879-889.

- Sarukhan, J. and M. Gadgil. 1974. Studies on plant demography: *Ranunculus repens* L., *R. bulbosus* L., and *R. acris* L. III. A mathematical model incorporating multiple modes of reproduction. Journal of Ecology 62:921-936.
- SAS Institute, Inc. 1990. SAS/STAT User's Guide, version 6. Fourth edition, volume 2. SAS Institute, Inc., Cary, North Carolina.
- Schemske, D.W., B.C. Husband, M.H. Ruckleshaus, C. Goodwillie, I.M. Parker, and J.H. Bishop. 1994. Evaluating approaches to the conservation of rare and endangered plants. Ecology 75:584-606.
- Schlessman, M.A. 1978. Systematics and reproductive biology of *Lomatium farinosum* (Geyer ex Hooker) Coulter & Rose (Umbelliferae). Madrono 25:1-9.
- Schmidt, K.P. and L.R. Lawlor. 1983. Growth rate projection and life history sensitivity for annual plants with a seed bank. American Naturalist 121:525-539.
- Seno, H. and H. Nakajima. 1999. Transition matrix model for persistence of monocarpic perennial plant population under periodically ecological disturbance. Ecological Modelling 117:65-80.
- Shaw, R.G. 1987. Density-dependence in *Salvia lyrata*: Experimental alteration of densities of established plants. Journal of Ecology 75:1049-1063.
- Shea, K. and D. Kelly. 1998. Estimating biocontrol agent impact with matrix models: Carduus nutans in New Zealand. Ecological Applications 8:924-832.
- Silva, J.F., J. Raventos, and H. Caswell. 1990. Fire and fire exclusion effects on the growth and survival of two savanna grasses. Acta Œcologica 11:783-800.
- Silva, J.F., J. Raventos, H. Caswell, and M.C. Trevisan. 1991. Population responses to fire in a tropical savanna grass, *Andropogon semiberbis*: a matrix model approach. Journal of Ecology 79:345-356.
- Silvertown, J., M. Franco, and E.S. Menges. 1996. Interpretation of elasticity matrices as an aid to the management of plant populations for conservation. Conservation Biology 10:591-597.
- Silvertown, J., M. Franco, I. Pisanty, and A. Mendoza. 1993. Comparative plant demography: relative importance of demographic components to the finite rate of increase in perennial plants. Journal of Ecology 81:465-476.
- Slade, N.A. and H. Levinson. 1984. The effects of skewed distributions of vital statistics on growth of age-structured populations. Theoretical Population Biology 26:361-366.

- Sorribas, A., J. March, and E.O. Voit. 2000. Estimating age-related trends in cross-sectional studies using S-distributions. Statistics in Medicine 19:697-713.
- Soulé, M.E. 1987. Viable populations for conservation. Cambridge University Press, Cambridge, England.
- Steel, R.G.D., J.H. Torrie, and D.A. Dickey. 1997. Principles and procedures of statistics, a biometrical approach. Third edition. The McGraw-Hill Companies, Inc. New York.
- Stone, C.P. and J.M. Scott. 1985. Hawaii's terrestrial ecosystems: preservation and management. Cooperative National Park Resources and Studies Unit, University of Hawaii, Manoa, Hawaii.
- Streatfield, R. and R.E. Frenkel. 1997. Ecological survey and interpretation of the Willamette Valley Floodplain Research Natural Area, W.L. Finley National Wildlife Refuge, Oregon, USA. Natural Areas Journal 17:346-354.
- Tallie, C., G.P. Patil, and R.C. Hennemuth. 1995. Modelling and analysis of recruitment distributions. Environmental and Ecological Statistics 2:315-329.
- Tamura, R.N. and S.S. Young. 1987. A stabilized moment estimator for the beta-binomial distribution. Biometrics 43:813-824.
- Thompson, J.N. 1985. Postdispersal seed predation in *Lomatium* spp. (Umbelliferae): variation among individuals and species. Ecology 66:1608-1616.
- Tuljapurkar, S.D. 1982. Population dynamics in variable environments. II. Correlated environments, sensitivity analysis and dynamics. Theoretical Population Biology 21:114-140.
- Tuljapurkar, S.D. 1990. Population dynamics in variable environments. Springer-Verlag, New York.
- Tuljapurkar, S.D. and S.H. Orzack. 1980. Population dynamics in variable environments. I. Long-run growth rates and extinction. Theoretical Population Biology 18:314-342.
- Usher, M.B. 1976. Extensions to models, used in renewable resource management, which incorporate an arbitrary structure. Journal of Environmental Management 4:123-140.
- Vacanti, P.L. and K.N. Geluso. 1985. Recolonization of a burned prairie by meadow voles (Microtus pennsylvanicus). Prairie Naturalist 17:15-22.

- van Groenendael, J.M. and P. Slim. 1988. The contrasting dynamics of two populations of *Plantago lanceolata* classified by age and size. Journal of Ecology 77:162-181.
- Vandermeer, J. 1978. Choosing category size in a stage projection matrix. Oecologia 32:79-84.
- Voit, E.O. and L.H. Schwake. 2000. Random number generation from right-skewed, symmetric, and left skewed distributions. Risk analysis 20:59-71.
- Warren, P.L., R.J. Frye, D. Gori, and A. Laurenzi. 1992. Population biology of *Pediocactus paradinei*, a rare cactus from northern Arizona. Pages 132-143 in R. Sivinski and K. Lightfoot, editors. Proceedings of the Southwestern rare and endangered plant conference. New Mexico Forestry Resources and Conservation Division, Santa Fe, New Mexico.
- Wilson, M.V., E.R. Alverson, D.L. Clark, R.H. Hayes, C.A. Ingersoll, and M.B. Naughton. 1995. The Willamette Valley Natural Areas Network: Promoting restoration through science and stewardship. Restoration and Management Notes 13:26-28.
- Wisdom, M.J., L.S. Mills, and D.F. Doak. 2000. Life stage simulation analysis: estimating vital-rate effects on population growth for conservation. Ecology 81:628-641.
- Yang, Y., J.C. Allen, J.L. Knapp, and P.A. Stansly. 1997. An age-structured population model of citrus rust mite: a fruit-mite-fungal pathogen system. Ecological Modelling 104:71-85.